




ledline
7112 901




tiras LED RGB IP65 24V /IP65 RGB 24V LED strip						
7112 901	RGB	150	955	24V.dc	120°	36W
code	color	LED N°	flux lm	V	b. angle	W

Equipos de alimentación*/drivers					
9920135TR	24V.dc	35W	si	220x40x21	
9920160TR	24V.dc	60W	si	250x40x21	
99201100TR	24V.dc	100W	si	300x40x21	
99201150TR	24V.dc	150W	si	280x64x31	
99201240TR	24V.dc	240W	si	244x71x38	
99201320TR	24V.dc	320W	si	252x90x44	
code	V	W	act.pow.fact.	driver(mm)	

regulación control inalámbrico/wireless control adjustment					
7022 900	24V.dc	432	control inalámbrico	12	
7137 900	24V.dc	432	amplificador RGB	12	
code	V	W	active power factor	150 LED strip	

regulación DMX512-DALI/DMX512-DALI adjustment					
9924 1224	24dc	3x2	converter	2	
code	V	A	description	150 LED strip	



ledline



7087

ledline



7211

en la imagen_in the picture



| ledline
7112 901



ledline



7122

ledline



7211

smooth



8052

en la imagen_in the picture



ledline
7112 901



ledline



7122

ledline



7211

cardanLED70



2010

en la imagen_in the picture



ledline



7123

ledline



7211

en la imagen_in the picture