





sie7e

# 7843 960\_961\_962



7843 960 314	2x10,3W.	2x1.405	136,4lm/W.	spot	3.000
7843 960 324	2x10,3W.	2x1.405	136,4lm/W.	medium	3.000
7843 960 338	2x10,3W.	2x1.405	136,4lm/W.	flood	3.000
7843 960 414	2x10,3W.	2x1.486	144,3lm/W.	spot	4.000
7843 960 424	2x10,3W.	2x1.486	144,3lm/W.	medium	4.000
7843 960 438	2x10,3W.	2x1.486	144,3lm/W.	flood	4.000
7843 961 314	2x16,8W.	2x2.422	144,2lm/W.	spot	3.000
7843 961 324	2x16,8W.	2x2.422	144,2lm/W.	medium	3.000
7843 961 338	2x16,8W.	2x2.422	144,2lm/W.	flood	3.000
7843 961 414	2x16,8W.	2x2.526	150,4lm/W.	spot	4.000
7843 961 424	2x16,8W.	2x2.526	150,4lm/W.	medium	4.000
7843 961 438	2x16,8W.	2x2.526	150,4lm/W.	flood	4.000
7843 962 314	2x25,4W.	2x3.637	143,2lm/W.	spot	3.000
7843 962 324	2x25,4W.	2x3.637	143,2lm/W.	medium	3.000
7843 962 338	2x25,4W.	2x3.637	143,2lm/W.	flood	3.000
7843 962 414	2x25,4W.	2x3.785	149lm/W.	spot	4.000
7843 962 424	2x25,4W.	2x3.785	149lm/W.	medium	4.000
7843 962 438	2x25,4W.	2x3.785	149lm/W.	flood	4.000



colores\_colors



materiales\_materials

aluminio inyectado  
y acero  
die cast aluminium  
and steel

pedido\_order

7843	960	4	14	8
code	10,3W	°K	beam angle	color



sie7e

7171



en la imagen\_in the picture



| sie7e

**7843** 960\_961\_962


sie7e



**7175**



en la imagen\_in the picture



| sie7e

**7843** 960\_961\_962

sie7e



**7139**



en la imagen\_in the picture