




iSpy
8677 960_961



8677 960 314	10,3W.	1.405	136,4lm/W.	spot	3.000
8677 960 324	10,3W.	1.405	136,4lm/W.	medium	3.000
8677 960 338	10,3W.	1.405	136,4lm/W.	flood	3.000
8677 960 414	10,3W.	1.486	144,3lm/W.	spot	4.000
8677 960 424	10,3W.	1.486	144,3lm/W.	medium	4.000
8677 960 438	10,3W.	1.486	144,3lm/W.	flood	4.000
8677 961 314	16,8W.	2.422	144,2lm/W.	spot	3.000
8677 961 324	16,8W.	2.422	144,2lm/W.	medium	3.000
8677 961 338	16,8W.	2.422	144,2lm/W.	flood	3.000
8677 961 414	16,8W.	2.526	150,4lm/W.	spot	4.000
8677 961 424	16,8W.	2.526	150,4lm/W.	medium	4.000
8677 961 438	16,8W.	2.526	150,4lm/W.	flood	4.000

code	module W	lm	efficiency	beam angle	°K
------	----------	----	------------	------------	----

colores_colors



materiales_materials

aluminio inyectado
y acero
die cast aluminium
and steel



pedido_order

8677	960	4	14	8
code	10,3W	°K	beam angle	color